

EAST Search History

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
L2	6	(US-3731184-\$ or US-2649573-\$ or US-3142796-\$).did. or (US-3142796-\$ or US-3560845-\$ or US-2649573-\$).did.	USPAT; USOCR	OR	ON	2008/01/23 21:35
L3	0	noise AND 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/23 21:36
L4	27	(US-20020123701-\$ or US-20040133117-\$ or US-20050272998-\$).did. or (US-6740046-\$ or US-3731184-\$ or US-6480111-\$ or US-6945941-\$ or US-4694837-\$ or US-4991587-\$ or US-5038785-\$ or US-3560845-\$ or US-3547106-\$ or US-2649573-\$ or US-6106481-\$ or US-6436053-\$ or US-3658052-\$ or US-6374667-\$ or US-5131399-\$ or US-6434411-\$ or US-3142796-\$ or US-4652823-\$ or US-4444064-\$).did. or (US-3547106-\$ or US-3142796-\$ or US-3560845-\$ or US-2649573-\$).did. or (JP-05049621-\$).did.	US-PGPUB; USPAT; USOCR; JPO	OR	ON	2008/01/23 21:36
L5	7	((electromagnet\$5 OR magnet\$5) NEAR5 noise) AND 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/23 21:37
L6	208	((coil OR winding) SAME ((electromagnet\$5 OR magnet\$5) NEAR7 noise) AND ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6)) AND ("73"/\$) OR ("600"/\$)).ccls.	US-PGPUB; USPAT	OR	ON	2008/01/23 21:44

L7	49	((coil OR winding) SAME ((electromagnet\$5 OR magnet\$5) NEAR7 noise NEAR7 (reduc\$5 OR eliminat\$5 OR minim\$5))) AND ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6)) AND (("73"/\$) OR ("600"/\$)).ccls.	US-PGPUB; USPAT	OR	ON	2008/01/23 21:45
L8	49	((coil OR winding) SAME ((electromagnet\$5 OR magnet\$5) NEAR7 noise NEAR7 (reduc\$5 OR eliminat\$5 OR minim\$5))) AND 7	US-PGPUB; USPAT	OR	ON	2008/01/23 21:46
L9	1	((coil OR winding) SAME ((electromagnet\$5 OR magnet\$5) NEAR7 noise NEAR7 (reduc\$5 OR eliminat\$5 OR minim\$5))) SAME ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6)))	EPO; JPO	OR	ON	2008/01/23 21:51
L10	4	((coil OR winding) SAME ((electromagnet\$5 OR magnet\$5) NEAR7 noise NEAR7 (reduc\$5 OR eliminat\$5 OR minim\$5))) SAME ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6)))	USOCR; DERWENT	OR	ON	2008/01/23 21:51
L11	13	((coil OR winding) SAME ((electromagnet\$5 OR magnet\$5) NEAR7 noise NEAR7 (reduc\$5 OR eliminat\$5 OR minim\$5))) AND ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6)))	USOCR; DERWENT	OR	ON	2008/01/23 21:53
L12	243	((coil OR winding) SAME (noise NEAR5 (reduc\$5 OR eliminat\$5 OR minim\$5))) AND ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6))) AND (("73"/\$) OR ("600"/\$)).ccls.	US-PGPUB; USPAT	OR	ON	2008/01/23 21:54
L13	138	((coil OR winding) WITH (noise NEAR5 (reduc\$5 OR eliminat\$5 OR minim\$5))) AND ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6))) AND (("73"/\$) OR ("600"/\$)).ccls.	US-PGPUB; USPAT	OR	ON	2008/01/23 21:54
L14	138	((coil OR winding) WITH (noise NEAR5 (reduc\$5 OR eliminat\$5 OR minim\$5))) AND 13	US-PGPUB; USPAT	OR	ON	2008/01/23 21:55

L15	51	("2649573" "3142796" "3560845").PN. OR ("2649573" "3142796" "3560845" "3731184").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/23 22:05
L16	3	((electromagnet\$5 OR magnet\$5) NEAR5 noise) AND 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/23 22:05
L17	4	(noise NEAR5 (reduc\$5 OR eliminat\$5 OR minim\$5)) AND 15	US-PGPUB; USPAT	OR	ON	2008/01/23 22:06
L18	105	12 NOT 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/23 22:07
L19	105	((coil OR winding) SAME ((noise NEAR5 (reduc\$5 OR eliminat\$5 OR minim\$5))) AND 18	US-PGPUB; USPAT	OR	ON	2008/01/23 22:08
L20	14	((coil OR winding) WITH ((noise NEAR5 (reduc\$5 OR eliminat\$5 OR minim\$5))) AND ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6))) AND ((324/228,262,258) OR (33/123)).ccls.	US-PGPUB; USPAT	OR	ON	2008/01/23 22:25
L21	14	((coil OR winding) WITH ((noise NEAR5 (reduc\$5 OR eliminat\$5 OR minim\$5))) AND 20	US-PGPUB; USPAT	OR	ON	2008/01/23 22:26
L22	29	((coil OR winding) SAME ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6))) AND ((noise NEAR5 (reduc\$5 OR eliminat\$5 OR minim\$5))) AND ((324/228,262,258) OR (33/123)).ccls.	US-PGPUB; USPAT	OR	ON	2008/01/23 22:28
L23	29	((coil OR winding) SAME ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6))) AND ((noise NEAR5 (reduc\$5 OR eliminat\$5 OR minim\$5))) AND ((324/228,262,258) OR (33/123)).ccls.	US-PGPUB; USPAT	OR	ON	2008/01/23 22:29

L24	4	((coil OR winding) SAME ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6))) AND (noise NEAR5 (reduc\$5 OR eliminat\$5 OR minim\$5)) AND (73/861.08,861.13,861.11,861.12,861.15).ccls.	US-PGPUB; USPAT	OR	ON	2008/01/23 22:41
L25	3	((coil OR winding) WITH (noise NEAR5 (reduc\$5 OR eliminat\$5 OR minim\$5))) AND ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6))) AND (73/861.08,861.13,861.11,861.12,861.15).ccls.	US-PGPUB; USPAT	OR	ON	2008/01/23 22:42
L26	3	((coil OR winding) WITH (noise NEAR5 (reduc\$5 OR eliminat\$5 OR minim\$5))) AND 25	US-PGPUB; USPAT	OR	ON	2008/01/23 22:43
L27	2	((600/595,534) OR (324/228,262,258) OR (73/861.08,861.15)).ccls. AND ((coil OR winding) SAME ((electromagnet\$5 OR magnet\$5) WITH noise WITH (reduc\$5 OR eliminat\$5 OR minim\$5)) SAME ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6)))	US-PGPUB	OR	ON	2008/01/23 22:57
L28	1	((600/595,534) OR (324/228,262,258) OR (73/861.08,861.15)).ccls. AND ((coil OR winding) SAME ((electromagnet\$5 OR magnet\$5) WITH noise WITH (reduc\$5 OR eliminat\$5 OR minim\$5)) SAME ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6))).clm.	US-PGPUB	OR	ON	2008/01/23 22:57
L29	1	((600/595,534) OR (324/228,262,258) OR (73/861.08,861.15)).ccls. AND (coil SAME (electromagnet\$5 OR magnet\$5) SAME current SAME ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6))).clm.	US-PGPUB	OR	ON	2008/01/23 22:59

L30	3	((600/595,534) OR (324/228,262,258) OR (73/861.08,861.15)).ccls. AND (coil SAME (electromagnet \$5 OR magnet\$5) SAME current SAME (movement OR motion OR volume OR area OR respir\$6)).clm.	US-PGPUB	OR	ON	2008/01/23 22:59
S22	36	((MORTEN) near2 (ERIKSEN)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/23 06:13
S23	32	((MORTEN) near2 (ERIKSEN)).INV.	EPO; JPO; DERWENT	OR	ON	2008/01/23 06:14
S25	1	((ERIC) near2 (ERIKSEN)).INV.	EPO; JPO; DERWENT	OR	ON	2008/01/23 06:14
S26	2	((ERIC) near2 (ERIKSEN)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/23 06:14
S27	70	S22 OR S23 OR S25 OR S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/01/23 06:14
S28	7	((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR expan\$5 OR compress\$5 OR contract \$4 OR respir\$6)).clm. AND S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/23 06:15
S29	63	("2649573" "3142796" "3560845" "3731184" "4083002" "4258718" "4308872" "5131399" "5394882" "5738102" "5749365" "5825293" "5882300" "5957854" "5964720" "6480111").PN. OR ("2649573" "3142796" "3560845" "3731184" "6374667" "6945941").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/23 07:19
S30	1	(US-4652823-\$).did.	USPAT	OR	ON	2008/01/23 08:01
S31	0	S30 AND (noise)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/23 08:01

S32	0	S30 AND (error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/23 08:01
S33	1	S30 AND (accura\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/23 08:02
S35	160	((coil OR winding) NEAR3 (two OR second OR pair)) SAME (magnet\$5 OR electromagnet\$ OR flux OR field)) AND ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR expan\$5 OR compress\$5 OR contract\$4 OR respir\$6))	EPO; JPO	OR	ON	2008/01/23 08:10
S39	74	((coil OR winding) NEAR3 (pair)) SAME (magnet\$5 OR electromagnet\$ OR flux OR field)) SAME ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR expan\$5 OR compress\$5 OR contract\$4 OR respir\$6))) AND (("73"/\$) OR ("600"/\$)).ccls.	US-PGPUB; USPAT	OR	ON	2008/01/23 08:16
S40	1541	((coil OR winding)) SAME (magnet\$5 OR electromagnet\$ OR flux OR field)) SAME ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR respir\$6))) AND (("73"/\$) OR ("600"/\$)).ccls.	US-PGPUB; USPAT	OR	ON	2008/01/23 08:23
S41	284	((coil OR winding) NEAR3 (second OR two OR pair)) SAME (magnet\$5 OR electromagnet\$ OR flux OR field)) SAME ((measur\$6 OR determin\$6 OR monitor\$3 OR sensing OR sensor\$3 OR detect\$5) NEAR5 (movement OR motion OR volume OR area OR expan\$5 OR compress\$5 OR contract\$4 OR respir\$6))) AND (("73"/\$) OR ("600"/\$)).ccls.	US-PGPUB; USPAT	OR	ON	2008/01/23 08:25

1/23/08 11:04:00 PM

C:\Documents and Settings\NNatnithihadha\My Documents\EAST\Workspaces\FY2007\10671011.wsp